

Temperature data - Inlay: Thermo High Performance



Summary Temperature Data


Box size	Volume	Amount cooling units	Temperature range	Runtime
400x300mm	4 liters	4 [1x PCM Set]	2 - 8° C	48h ISTA 7E
600x400mm	18 liters	8 [2x PCM Set]	2 - 8° C	38h ISTA 7E
600x400mm	18 liters	12 [3x PCM Set]	2 - 8° C	48h ISTA 7E
600x400mm	18 liters	16 [4x PCM Set]	2 - 8° C	80h ISTA 7E
600x400mm	18 liters	Dry ice	-78° C	105h ISTA 7E
400x300mm	4 liters	4 [1x PCM Set]	2 - 8° C	50h AFNOR St-96a
600x400mm	18 liters	12 [3x PCM Set]	2 - 8° C	54h AFNOR St-96a
400x300mm	4 liters	4 [1x PCM Set]	2 - 8° C	>64h AFNOR St-96d
600x400mm	18 liters	12 [3x PCM Set]	2 - 8° C	>64h AFNOR St-96d
600x400mm	4 liters	4 [1x PCM Set]	2 - 8° C	>160h ISTA 7D
400x300mm	18 liters	12 [3x PCM Set]	2 - 8° C	>160h ISTA 7D

Temperature profiles

Inlay: Thermo High Performance 4l (Box 400x300):




Including 1x PCM Set High Performance



Inlay: Thermo High Performance 18l (Box 600x400):




2x PCM Set High Performance



Inlay: Thermo High Performance 18l (Box 600x400):




3x PCM Set High Performance



Inlay: Thermo High Performance 18l (Box 600x400):




4x PCM Set High Performance



Inlay: Thermo High Performance 18l (Box 600x400):




DRY ICE
UN 1845
KG NET WT



Inlay: Thermo High Performance 4l (Box 400x300):




1x PCM Set High Performance



Inlay: Thermo High Performance 18l (Box 600x400):




3x PCM Set High Performance



Inlay: Thermo High Performance 4l (Box 400x300):




1x PCM Set High Performance



Inlay: Thermo High Performance 18l (Box 600x400):




3x PCM Set High Performance



Inlay: Thermo High Performance 4l (Box 400x300):



1x PCM Set High Performance



Inlay: Thermo High Performance 18l (Box 600x400):



3x PCM Set High Performance

